Form 4-683 (January 1963)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey numb 4670	er
State Arizona	
Land District	

Of the Survey of the Mining Claim of (name and address of Claimant)

Belle Deck Box 113 Congress, Arizona 85332

Known as the (name of group, if any)

CONSISTING OF LOCATIONS NAMED A	AND LOCATED	AS FOLLOWS
---------------------------------	-------------	------------

WAND 0	DAT	re .
NAME OF LOCATION	LOCATED	AMENDED
Mountain View No. 1	7/ 1/47	5/3/68
Mountain View No. 2	7/ 1/47	5/3/68
Mountain View #3	7/ 1/47	5/3/68
Mountain View #4	7/ 1/47	5/3/68
Home Stake	6/21/48	5/3/68

Mining district We	eaver			C	ounty Y	avapai	
Section 15 & 22	Townshi 10 N.	-	Range 6 W		eridian G. & S.	R.	Survey under order dated 4/11/68 & 6/7/68
Survey commence 4/24/6			completed	i N		eral Surveyo v W. Smi	

SURVEY NO. 4670

This survey was made with a Swiss Kern Theodolite, Model DKM1, No. 77769, having horizontal and vertical circles, 50 mm in diam. The circles are graduated in degrees and 20-minute increments. An optical microme ter, adjustable to the vertical and horizontal circles, permits the reading of angles, direct to 10 seconds accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey, and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 4:03:30 p.m. on April 24, 1968, at Cor. No. 1 of the Mountain View No. 1 Lode, latitude 34° 12' 15" N., longitude 112° 50' 54.5" W., turning from a reference point about 600 ft. southerly, clockwise to the sun in a westerly direction.

True bearing of reference point S. 0° 01' E.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. One additional foot at the zero end is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° 45' East.

MOUNTAIN VIEW NO. 1 LODE

At cor. No. 1 of the Mountain View No. 1 lode, on line 1-2 Mountain View No. 2 lode of this survey.

Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V.1 1X; from which

The Cor. of Secs. 14, 15, 22 & 23,

T. 10 N., R. 6 W., G. & S. R. B. & M.,
bears N. 0° 01' W., 258.17 ft.
dist. A stone 6 x 12 ins., 10 ins.
above ground, firmly set, marked
and witnessed as described in the
official record.

		50KVH1 IVO, 1010	Fa
	FEET		
	1765	Cor. No. 4, Sur. No. 1352, Golden Thread lode, bears N. 0° 06' W., 302.13 ft. dist.	
		A mound of stones painted yellow adjaces to the iron post.	nt
		Thence S. 89° 59' W.	
		Thence 5. 69 59 W.	
	320.0	Unimproved road, bears N. 50° W. and S. 60° E.	
	1500.0	Cor. No. 2 on line 4-1 Mountain View #3 lode of this survey.	
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V. 1 2X;	
•		from which	
		A mound of stones painted yellow adjacent to the iron post.	
		Thence N. 0° 01' W.	
	36.66	Cor. No. 4 Mountain View No. 2 lode of this	
	30.00	survey.	
(5	300.0	Lode line; discovery pt. bears N. 89° 59' E., 1200 ft. dist.	
	599.95	Cor. No. 3 identical with Cor. No. 2 Home Stake lode and on line 4-1 Mountain View #3 lode, both of this survey.	
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the	
		iron post, mkd. M.S. 4670 M.V.1 3 H.S. 2X; from which	
		A mound of stones painted yellow ad- jacent to the iron post.	
		Thence N. 89° 58' 55" E.	
į	625.0	Unimproved road, bears N. 46° E. and S. 46° W.	
	960.0	Unimproved road, bears S. 31° W. and N. 12° E.	
	1240.0	Unimproved road, bears N. 47° W. and S. 30° E.	
		The state of the s	1

...

	FEET	
Č4	1500.0	Cor. No. 4, identical with Cor. No. 1 of the Home Stake lode of this survey.
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V.1 4 H.S. 1X; from which
		A mound of stones painted yellow ad- jacent to the iron post.
	E E	Thence S. 0° 01' E.
	297.59	Intersect line 4-1 Sur. No. 1352 Golden Thread lode at a point from which Cor. No. 4 bears S. 48° 30' W., 0.58 ft. dist.
	298.47	Intersect line 3-4 Sur. No. 1352 Golden Thread Lode at a point from which Cor. No. 4 bears N. 41° 30' W., 0.66 ft. dist.
	300.0	Lode line; discovery pt. bears S. 89° 59' W., 300.0 ft. dist.
	380.0	Unimproved road, bears N. 37° W. and S. 37° E.
	563, 34	Cor. No. 1 Mountain View No. 2 lode of this survey.
	600.0	Cor. No. 1, and place of beginning.
	== = ¥ = =	MOUNTAIN VIEW NO. 2 LODE
		Beginning at Cor. No. 1 of the Mountain View No. 2 lode on line 4-1 Mountain View No. 1 lode of this survey.
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V. 2 1X; from which
		The cor. of Secs. 14, 15, 22 & 23, bears N. 0° 01' W., 221.51 ft. dist.; previously described.
		A mound of stones painted yellow ad- jacent to the iron post.
	+	Thence S. 0° 01' E.
	=	x x • x

Cor. No. 3 Sur. No. 2901 Merit lode bears N. 78° 30' 10" E., 150.57

ft. dist.

Page 4

*

FEE	A mound of stones painted yellow ad- jacent to the iron post.
	Thence N. 0° 01' W.
30	0.0 Lode line; discovery point bears N. 89° 56' 45" E., 1200 ft. dist.
37	2.49 Cor. No. 1 Mountain View #3 lode of this survey.
42	6.38 Intersect line 1-2 Sur. No. 1188 Snow Storm lode at a point from which Cor. No. 2 bears S. 72° 20' E., 268.39 ft. dist.
56	3.34 Cor. No. 2 Mountain View No. 1 lode of this survey.
60	O. O Cor. No. 4 on line 2-3 Mountain View No. 1 lode common with line 4-1 Mountain View #3 lode, both of this survey.
	Set an iron post 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V.2 4X; from which
*	Cor. No. 2 Sur. No. 1188 Snow Storm lode, bears S. 45° 04' 45" E., 361.23 ft. dist.
	A mound of stones painted yellow adjacent to the iron post.
	Thence N. 89° 59' E.
112	5.0 Unimproved road, bears N. 52° W. and S. 52° E.
15	00.0 Cor. No. 1, and place of beginning.
- ×	HOME STAKE LODE
	Beginning at Cor. No. 1 of the Home Stake lode, identical with Cor. No. 4 of the Mountain View No. 1 lode of this survey; from which
	The Cor. of Secs. 14, 15, 22 & 23, bears S. 0° 01' E., 341.83 ft. dist.; previously described.
	Thence S. 89° 58' 55" W.
į.	0.0 Unimproved road, bears N. 47° W. and S. 30°

		50KVET NO. 4010	rage
	540.0	Unimproved road, bears S. 31° W. and N. 12° E.	
	875.0	Unimproved road, bears N. 46° E. and S. 46° W.	
	1500.0	Cor. No. 2 identical with Cor. No. 3 Mountain View No. 1 lode and on line 4-1 Mountain View #3 lode, both of this survey.	
		Thence N. 0° 01' W.	
	299.95	Lode line; discovery point bears N. 89° 59' 05" E., 1200 ft. dist.	
	599.90	Cor. No. 3 on line 4-1 Mountain View #3 lode of this survey.	
	· Press	Set an iron post 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 H.S. 3X; from which	h
		A mound of stones painted yellow ad- jacent to the iron post.	
		Thence N. 89° 58' 55" E.	
	1500.0	Cor. No. 4.	
-2-		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 H.S. 4X; from which	
		A mound of stones painted yellow ad- jacent to the iron post.	
		Thence S. 0° 01' E.	
	300,0	Lode line; discovery point bears S. 89° 59' 05" W., 300.0 ft. dist.	
	599.88	Cor. No. 1, and place of beginning.	
÷		MOUNTAIN VIEW #3 LODE	
		Beginning at Cor. No. 1 of the Mountain View #3 lode, on line 3-4 Mountain View No. 2 lode of this survey.	
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron pos mkd. M.S. 4670 M.V. 3 1X; from which	

	FEET	The cor. of Secs. 14, 15, 22 & 23, bears N. 73° 19' 05" E., 1565.77 ft. dist.; previously described.
	× ×	Cor. No. 6 Sur. No. 1188 Snow Storm lode bears N. 63° 54' 10" W., 350. 20 ft. dist.
	·	A mound of stones painted yellow adjacent to the iron post.
te ≡	j Fo	Thence S. 89° 59' W.
	299.90	Lode line; discovery point bears N. 0° 01' 15" W., 200.0 ft. dist.
:	363.10	Intersect line 5-6 Sur. No. 1188 Snow Storm
	303.10	lode at a point from which Cor. No. 6 bears N. 17° 30' E., 161.64 ft. dist.
	599 . 58	Cor. No. 2 identical with Cor. No. 1 of the Mountain View #4 lode of this survey.
		Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V. 3 2 M.V. 4 1X; from which
3		A mound of stones painted yellow adjacent to the iron post. Thence N. 0° 02' W.
	1500.0	Cor. No. 3, identical with Cor. No. 4 of the Mountain View #4 lode of this survey.
æs	***	Set an iron post, 3/4 ins. diam., 30 ins. long, in 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V. 3 3 M.V. 4 4X; from which
	1	A mound of stones painted yellow ad- jacent to the iron post.
		Thence N. 89° 59' E.
ní ;	300.0	Lode line; discovery point bears S. 0° 01' 15"
		E., 1300 ft. dist.
	600.0	Cor. No. 4.
	-	Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass

FEET	
	cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V. 3 4X; from which
	A mound of stones painted yellow ad- jacent to the iron post.
	Thence S. 0° 01' E.
109.30	Cor. No. 3 Home Stake lode of this survey.
709.20	Cor. No. 2 Home Stake lode identical with Cor. No. 3 Mountain View No. 1 lode, both of this survey.
1272.49	Cor. No. 4 Mountain View No. 2 lode of this survey.
1309.15	Cor. No. 2 Mountain View No. 1 lode of this survey.
1446.11	Intersect line 1-2 Sur. No. 1188 Snow Storm lode at a pt. from which Cor. No. 1 bears N. 72° 20' W., 31.61 ft. dist.
1500.0	Cor. No. 1, and place of beginning.
	MOUNTAIN VIEW # 4 LODE
	Beginning at Cor. No. 1 of the Mountain View #4 lode, identical with Cor. No. 2 of the Mountain View #3 lode of this survey, from which
	The cor. of Secs. 14, 15, 22 and 23, bears N. 77° 54' 45" E., 2, 147.05 ft. dist.; previously described.
	Thence S. 89° 59' W.
300.0	Lode line; discovery point bears N. 0° 02' W., 100.0 ft. dist.
600.0	Cor. No. 2.
	Set an iron post, 3/4 ins. diam., 30 ins. long, in a 25 pound concrete and rock base, 15 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4670 M.V.4 2X; from which
	A mound of stones painted yellow adjacent to the iron post.
	Thence N. 0° 02' W.

(M)	FEET		
	1500.0	Cor. No. 3.	
		Set an iron post, 3/4 ins. diam., 30 ins.	
}	20	long, in a 25 pound concrete and rock base	
20	- = = -	15 ins. in the ground, with a brass cap,	
	I 721	ins. diam., firmly secured to the iron	-
	e: ==:	post, mkd. M.S. 4670 M.V.4 3X; from	
	×	which	
		WIIIGII	
96		A mound of stones painted yellow ad-	
		jacent to the iron post.	
*	*		
		Thence No. 89° 59' E.	
		0	
	300.0	Lode line; discovery point bears S. 0 02' E	C.,
±	B 1 201 201	1400 ft. dist.	
	(00.0		
	600. 0	Cor. No. 4, identical with Cor. No. 3 of the	e
		Mountain View #3 lode of this survey.	= =
	3	Thence S. 0 02' E.	
4)		inches b. o ou in.	
2	1500.0	Cor. No. 1, and place of beginning.	
	# # # # # # # # # # # # # # # # # # #		
		# ×	
		SURVEY NO. 4670	
(A)			
		AREAS	
*			res
		Total area Mountain View No. 1 lode 20	. 660
	27	Area in conflict with	
-			. 000
			. 262
=			. 640
		Area in conflict with	
=			. 795
			. 017
			. 031
			. 654
	9	Area in conflict with	027
			. 837
n B	*5		. 661
		Total area Home Stake lode 20	. 657
	,t' g.c		
		LOCATION	
		LOOATION	
		This survey is located in the SE $1/4$ and SW	
		1/4, Sec. 15, and NE 1/4 and NW 1/4, Sec.	
		22, of T. 10 N., R. 6 W., G. &S. R. B. &M.	
2		, and the many transport of the contract of th	
	8 8	The survey of the Mountain View Nos. 1, 2,	#s
	# (E)	3 and 4 and Home Stake lodes is identical wi	I
		the respective location or amended location	as
		marked on the ground.	

	FEET	EXPENDITURES	
		The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or their grantors are as follows:	
	No. 1	The discovery point of the Mountain View No. 1 lode is on the lode line 300.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	
		Value, None	
	No. 2	A pit, the NE cor. of which bears S. 47° 30' W., 390 ft. from Cor. No. 4 of the Mountain View No. 1 lode; 8 x 8 ft. in size, 12 ft. deep.	
		Value, \$1,000.00	
	No. 3	An untimbered shaft, the NE cor. of which bears S. 86° W., 585 ft. from Cor. No. 4 of the Mountain View No. 1 lode; 5 x 5 ft. in size, 30 ft. deep.	
	-	Value, \$2,000.00	
	No. 4	A cut, the NE cor. of which bears S. 86° 30' W., 672 ft. from Cor. No. 4 of the Mountain View No. 1 lode; 8 ft. wide, 8 ft. deep and running S. 20° W., 20 ft.	
*	88+	Value, \$500.00	
	No. 5	A cut, the NE cor. of which bears S. 85° W., 615 ft. from Cor. No. 4 of the Mountain View No. 1 lode; 12 ft. wide, 3 ft. deep and running S. 70° W., 30 ft.	
		Value, \$500.00	
	No. 6	A shaft, the SE cor. of which bears No. 82° W., 470 ft. from Cor. No. 1 of the Mountain View No. 1 lode; 4 x 5 ft. in size, 12 ft. deep and apparently connected to adjacent underground workings.	
	.50	Value, \$1,000.00	
	No. 7	An open stope, the SE cor. of which bears N. 82° 30' W., 495 ft. from Cor. No. 1 of the Mountain View No. 1 lode; 4 x 5 ft. in size, 10 ft. deep thence running S. 45° E. an unknown distance.	
		Value, \$1,000.00	
		į l	

i	FEET	
(e s. 5)	No. 8	A shaft, the SE cor. of which bears N. 85° 30' W., 555 ft. from Cor. No. 1 of the Mountain
		View No. 1 lode; 4 x 5 ft. in size, 15 ft. deep.
240		Value, \$1,000.00
	No. 9	An inclined shaft, the SE cor. of which bears
72	110. 9	N. 85° W., 580 ft. from Cor. No. 1 of the Mountain View No. 1 lode; 4 x 6 ft. in size,
		running north and inclined at 40°, a minimum of 50 ft. At the collar is a cut, 8
125		ft. wide, 10 ft. deep and running south, 25 ft.
18	e	
	1.	Value, \$5,000.00
	No. 10	A cut, the SE cor. of which bears N. 85° W., 610 ft. from Cor. No. 1 of the Mountain View
	a z	No. 1 lode; 6 ft. wide, 6 ft. deep and running N. 40° W., 20 ft.
	*	Value, \$250.00
	No. 1	The discovery point of the Home Stake lode is on the lode line, 300 ft. from a point on line
		4-1, 300.0 ft. from Cor. No. 4.
	4	Value, None
	No. 2	A cut, the NE cor. of which bears S. 84° W., 220 ft. from Cor. No. 4 of the Home Stake lode; 8 ft. wide, 5 ft. deep and running S. 35° W., 40 ft.
1992	21 (2)	33, 13 13
H 5		Value, \$600.00
ı	No. 3	A pit, the NE cor. of which bears S. 86° 30' W., 400 ft. from Cor. No. 4 of the Home Stake lode; 8 x 8 ft. in size, 2 1/2 ft. deep.
		Stake lode, o x o it. in size, z 1/z it. deep.
	* * *	Value, \$50.00
	No. 4	A cut, the SE cor. of which bears N. 61° W., 530 ft. from Cor. No. 1 of the Home Stake
8		lode; 6 ft. wide, 5 1/2 ft. deep and running
		north, 25 ft. At the north of the cut is a
	est bea	small opening indicating an inclined shaft, 4 x 4 ft. in size but depth unknown.
	(34)	Value, \$800.00
	No. 5	A pit, the SE cor. of which bears N. 89° W., 557 ft. from Cor. No. 1 of the Home Stake
	- 14 ×	lode; 8 x 8 ft. in size, 12 ft. deep.
	≡ ,	Value, \$800.00
		

			SURVET NO. 4070	Page
	F	EET		
	No.	1	The discovery point of the Mountain View No. 2 lode is on the lode line, 300 ft. from a point on line 1-2, 299.0 ft. from Cor. No. 1.	
			Value, None	
	No.	2	A pit, the NE cor. of which bears S. 89° 30' W., 430 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 6 x 6 ft. in size, 3 1/2 ft. deep.	
			Value, \$50.00	
	No.	3	A cut, the NE cor. of which bears S. 87° W., 500 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 12 ft. wide, 7 ft. average depth and running south, 25 ft. At the south end is remnant of a ladder indicating a caved shaft.	
ě		* 4	Value, \$1,000.00	
	No.	4	A pit, the NE cor. of which bears S. 84° W., 530 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 10 x 10 ft. in size, 4 ft. deep.	
			Value, \$100,00	
	No.	5	A shaft, the NE cor. of which bears S. 74° 30' W., 415 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 4 x 5 ft. in size, 12 ft. deep.	
	3		Value, \$1,000.00	
	No.	6	A pit, the NE cor. of which bears S. 74° 30' W., 905 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 4 x 6 ft. in size, 5 1/2 ft. deep.	
			Value, \$300.00	
	No.	1	The discovery point of the Mountain View #3 lode is on the lode line, 200 ft. from a point on line 1-2, 299.90 ft. from Cor. No. 1.	
			Value, None	
	No.	2	A cut, the SE cor. of which bears N. 14 W., 825 ft. from Cor. No. 1 of the Mountain View #3 lode; 6 ft. wide, running west, 25 ft. to a face, 10 ft. high.	
	*		Value, \$300.00	
	No.	1 .	The discovery point of the Mountain View #4 lode is on the lode line, 100 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1.	
			Value, None	

An interest in common improvements described as follows:

A shaft, the SE cor. of which bears N. 86° W., 520 ft. from Cor. No. 1 of the Mountain View No. 1 lode; 5 x 5 ft. in size, 10 ft. deep. This shaft straddles the side line between Mountain View Nos. 1 and 2 lodes.

Value of shaft \$800.00 Value of one-half interest \$400.00

A cut, the center of which bears West, 455 ft. from Cor. No. 1 of the Mountain View No. 2 lode; 12 ft. wide, 4 ft. deep and running north, 20 ft. and south, 20 ft. This cut straddles the side line between Mountain View Nos. 1 and 2 lodes.

Value of cut, \$800.00 Value of one-half interest \$400.00

As the above improvements straddle the side line between the Mountain View Nos. 1 and 2 lodes which are contiguous claims and owned in common, the improvements are of benefit to both claims.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each of the stated lodes subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-half interest in their values is hereby credited to each of the stated lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

An interest in a common improvement described as follows:

An inclined timbered shaft, the NE. Cor. of the collar bears S. 66° W., 360 ft. from Cor. No. 4 of Mountain View No. 1 lode; 6 x 6 ft. in size, inclined at 40° and running north to a depth of 900 ft. Levels are located to best develop the mine. No maps are available to accurately describe the underground workings and water is reported to be standing at about the 150 ft. level.

Value of shaft and levels \$50,000.00 Value of one-fifth interest, \$10,000.00

This improvement was constructed for the development of the five lodes of this survey which are all contiguous lode claims owned in common within the range of benefit of said shaft.

The surface rises rapidly at the west end of the Mountain View Nos. 1 and 2 and the Home Stake lodes consequently levels driven from this improvement would be the most practical and economical means of developing each of the lodes of this survey.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-fifth interest in its value is hereby credited to each of the said lodes of this survey.

No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS

An unimproved dirt road traversing the Mountain View Nos. 1 and 2 and Home Stake lodes.

Claimant herein.

A spring partially developed by concrete and timber construction. It bears S. 77° E., 215 ft. from Cor. No. 3 of the Mountain View #3 lode.

Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 1188 Snow Storm Lode: Cor. No. 1 is a mound of unmarked stones. The bearing rock is a granite stone 1 1/2 x 4 ft. in size, 18 ins. above ground, firmly set and properly marked. Cor. No. 2 is a mound of unmarked stones and the bearing rock could not be found. Cor. No. 6 is a mound of unmarked stones. bearing rock is a stone 8 x 8 ft. in size, 4 ft. above ground, firmly set and properly marked. Line 6-1, determined from the bearing rocks of Cors. 1 & 6 was found to be S. 72° 20' E., 298.43 ft. instead of S. 72° 30' E., 300.0 ft. as approved. Line 1-2 was accepted at a distance of 300.0 ft. but a bearing of S. 72° 20'E. was used instead of the approved bearing of S. 72° 30' E. The former bearing is the same as that found for

GPO 839 - 785

Line 6-1. Line 5-6 is shown as approved.

Line 2-3 was determined as follows:

According to Sur. No. 2901, Line 3-4 of the

Merit lode is common with line 2-3, Sur. No.

1188, Snow Storm lode. The line from Cor.

No. 2, Sur. No. 1188, Snow Storm lode to

Cor. No. 3, Sur. No. 2901, Merit lode was

found to be S. 18° 56' 15" W., 332.94 ft. in
stead of S. 17° 17' W., 336.0 ft. as approved.

From Cor. No. 3, Sur. No. 2901, Merit lode,

Line 2-3, Sur. No. 1188, Snow Storm lode, is

shown as approved, S. 17° 17' W.

Sur. No. 1352 Golden Thread Lode: Cor. No. 4 is a stone 5 x 8 ins., 7 ins. above ground, firmly set and properly marked. Cor. No. 1 could not be found. Lines 3-4 and 4-1 are shown as approved.

Sur. No. 2901 Merit Lode: Cor. No. 3 is an unmarked mound of stones with an adjacent iron fence post. The bearing rock is 11/2 x 2 ft., 8 ins. above ground, firmly set and properly marked. Lines 2-3 and 3-4 are shown as approved.

Sur. No. 2901 Sunset Lode: Cor. No. 3 is a stone 4 x 6 ins., 8 ins. above ground marked only with an "X". The bearing rock is a stone 3 x 3 ft. in size, 2 ft. above ground, firmly set and properly marked. No other bearing rocks could be found. The tie from the Cor. Stone to the Bearing Rock was found to be S. 55° 51' 10" W., 43.94 ft. instead of S. 55° 36' W., 44.0 ft. as approved. Lines 2-3 and 3-4 are shown as approved.

A diligent search was made for the 1/4 cor. of secs. 15 and 22, T10N., R. 6W., but it could not be found.

FIELD ASSISTANTS

Name Theodore Hilbrands Capacity Chainman-Axeman

FEET	
20 ALL STEEL STEEL STEEL	
	i
Handa	İ
	2.0
	100
	41
V1 (200.00)	
and the Very section of	
	=

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date					
Harvey W. Smith	June 11, 1968					
I HEREBY CERTIFY That in pursuance of an order received from the Chief, Div. of Engineering, Bureau of Land Management, at Phoenix, Arizona dated April 11, 1968, and June 7, 1968, I have carefully executed the survey of the claim of Belle Deck known as the (lode, placer, or mill site) Mountain View Nos. 1, 2, #s 3 & 4 and Home Stake/situated in Weaver Mining District, Yavapai County, Secs. 15 & 22, Township 10 N., Range 6 W., Gila & Salt River Meridian, in the State of Arizona						
This survey, designated as number 4670 , has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.						
I FURTHER CERTIFY That the labor expended and improvements the (lode or placer) Lode embraced in the said mining claim by claimant(s) or her grantors are fully stated in my report. The character, extent, location, and full detail. No portion of, or interest in, said labor and improvements so crecluded in the estimate of expenditures upon any other claim.	location(s) itemized value are specified in					
Scottsdale, Arizona (Location) (Signature of I	Mineral Surveyor)					
Harvey W.	Smith, E.M.					
2						
CERTIFICATE OF APPROVAL	Bureau of Land Management					
	Office Arizona State Office Location Phoenix, Arizona Date December 5, 1968					
Township 10 N., Range 6 W., Gila and Salt River State of Arizona, executed by Harvey W. Smith	een critically examined and the					
Tilly (Human) Acting State						
Riley Z. (Authorized Signature)	(Title)					
I CERTIFY That the foregoing transcript of field notes of the a number is a true copy of the original field notes.	above described mineral survey					
(Authorized Signature)	(Title)					
Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfungency of the United States any false, fictitious, or fraudulent statements or representations.						
its jurisdiction.						

ACCUMENT OF THE PROPERTY OF TH

ROYS VALUE OF BUILDING REP

	J		Dies . yes.
s . Wiv. of Burdage			
			ing, berest of Leni Menus Sweet appli lighted in L
		1 311	A Principle of the Control of the Co
			THE SHARE
ANGEL STEEL MAN AND ANGEL	- 22 46 41 4044	No. of Particular Control of the	William wild report of the extent
			all grinintrasvas V arasaur
		Van Tiet danie	The A part of the guitance t
			SEC. I farming that spi
		alund and aluminum to	
			succin etabas col
	hun . Yeven		
maratanan bool is o	in West I seemed		
con State udite	And the second		
oute, introduc			
6			
1997, 's andro			
P.2			
22 bad ta cholica			
	The provide a	ies bus alls	Township 10 If Thomas DO
	2.76	7723 00 100	to all divisions
		WIND ON LOUIS	
		The second second	friday will be the second brown
	nackT mask		
		0.000	

Management and Service of the Servic

parties from the former's work with the feature of the following parties of the first transfer of the feature of the confidence of the con

Constitute and and and

-4073

I magnesitante que ellegan o attitute un attituent entries que not entre a 11 entre 1700, tantina 1700 de la cita Califor entre au consentimo que la electronica medianest en mandatant entre la consentación del la consentación